



Office de la Propriété
Intellectuelle
du Canada

Un organisme
d'Industrie Canada

Canadian
Intellectual Property
Office

An agency of
Industry Canada

CA 2379180 A1 2001/02/08

(21) 2 379 180

(12) DEMANDE DE BREVET CANADIEN
CANADIAN PATENT APPLICATION

(13) A1

(86) Date de dépôt PCT/PCT Filing Date: 2000/08/02
(87) Date publication PCT/PCT Publication Date: 2001/02/08
(85) Entrée phase nationale/National Entry: 2002/01/29
(86) N° demande PCT/PCT Application No.: US 2000/021082
(87) N° publication PCT/PCT Publication No.: 2001/008505
(30) Priorité/Priority: 1999/08/03 (09/368,063) US

(51) Cl.Int.⁷/Int.Cl.⁷ A23L 1/29, A23L 1/305, A23L 1/30,
A23L 1/0522

(71) Demandeur/Applicant:
CHILDRENS HOSPITAL LOS ANGELES RESEARCH
INSTITUTE, US

(72) Inventeur/Inventor:
KAUFMAN, FRANCINE R., US

(74) Agent: SIM & MCBURNEY

(54) Titre : METHODE DESTINEE A SUPPRIMER L'APPETIT, A AUGMENTER L'EXERCICE ET A AMELIORER LE
RETABLISSEMENT

(54) Title: METHODS FOR SUPPRESSING APPETITE AND ENHANCING EXERCISE AND RECOVERY

(57) Abrégé/Abstract:

A method of suppressing appetite in a subject in need thereof comprises administering to said subject, in an effective appetite suppressing amount, a food composition that includes a slowly absorbed complex carbohydrate such as uncooked cornstarch. A method of enhancing exercise performance or recovery in a subject in need thereof comprises administering to said subject, in an amount effective to enhance exercise performance or recovery, a food composition that includes a slowly absorbed complex carbohydrate such as uncooked cornstarch.



(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau




(43) International Publication Date
8 February 2001 (08.02.2001)

PCT

(10) International Publication Number
WO 01/08505 A3

- (51) International Patent Classification²: A23L 1/29, 1/30, 1/305, 1/0522
- (21) International Application Number: PCT/US00/21082
- (22) International Filing Date: 2 August 2000 (02.08.2000)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
09/368,063 3 August 1999 (03.08.1999) US
- (71) Applicant (*for all designated States except US*): CHILDRENS HOSPITAL LOS ANGELES RESEARCH INSTITUTE [US/US]; 4650 Sunset Boulevard, Mailstop #84, Los Angeles, CA 90027 (US).
- (72) Inventor; and
- (75) Inventor/Applicant (*for US only*): KAUFMAN, Francine, R. [US/US]; 1401 North Bundy Drive, Los Angeles, CA 90049 (US).
- (74) Agent: MAGRI, Karen, A.; Myers Bigel Sibley Sajovec, P.A., P.O. Box 37428, Raleigh, NC 27627 (US).
- (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
- Published:**
— *With international search report.*
- (88) Date of publication of the international search report: 10 May 2001

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.



WO 01/08505 A3

- (54) Title: METHODS FOR SUPPRESSING APPETITE AND ENHANCING EXERCISE AND RECOVERY

(57) Abstract: A method of suppressing appetite in a subject in need thereof comprises administering to said subject, in an effective appetite suppressing amount, a food composition that includes a slowly absorbed complex carbohydrate such as uncooked cornstarch. A method of enhancing exercise performance or recovery in a subject in need thereof comprises administering to said subject, in an amount effective to enhance exercise performance or recovery, a food composition that includes a slowly absorbed complex carbohydrate such as uncooked cornstarch.

METHODS FOR SUPPRESSING APPETITE AND ENHANCING EXERCISE AND RECOVERY

5

Field of the Invention

The present invention concerns nutritional supplements or food compositions that are useful for suppressing appetite and for enhancing exercise performance and recovery.

Background of the Invention

Increased longevity in the human population and increased costs of health care have generated considerable interest in alternatives to conventional therapies. Drug therapies are considered a desirable alternative to surgical treatments whenever possible because of the cost savings involved. However, drug therapy can itself become expensive. As a result, there is a need for still other approaches, such as nutritional therapies, for various disorders.

U.S. Patent No. 5,420,107 to Brooks describes a food supplement containing lactic acid salts and/or polymers as an energy source supplement during exercise and recovery.

U.S. Patent No. 5,843,921 to Kaufman describes a therapeutic food composition that contains a slowly digested complex carbohydrate, particularly uncooked cornstarch, useful for diminishing blood sugar fluctuations in diabetic patients, and particularly as a night time snack food.

U.S. Patent No. 5,866,555 to Bell et al. describes a diabetic supplement bar that preferably contains uncooked cornstarch.,

U.S. Patent No. 5,902,797 to Bell et al. describes a nutritional supplement bar used to treat appetite suppression and combat weight loss.

30

Summary of the Invention

A first aspect of the present invention is a method of suppressing appetite in a subject in need therof. The method comprises administering to the subject, in an

effective appetite suppressing amount, a food composition that includes a slowly absorbed complex carbohydrate such as uncooked cornstarch.

A second aspect of the present invention is a method of enhancing exercise performance or recovery in a subject in need thereof, comprising administering to said 5 subject, in an amount effective to enhance exercise performance or recovery, a food composition that includes a slowly absorbed complex carbohydrate such as uncooked cornstarch.

A food composition or nutritional supplement useful for carrying out the foregoing methods typically comprises:

- 10 (a) about 10 to 75 percent by weight of slowly absorbed complex carbohydrate;
- (b) about 10 to 40 percent by weight of rapidly absorbed complex carbohydrate;
- (c) about 2 to 40 percent by weight of protein;
- 15 (d) about 2 to 40 percent by weight of fat; and
- (e) at least one sweetening agent in an amount effective to sweeten said food composition.

Numerous other additives, supplements and the like can also be included in the composition, as desired.

20 The foregoing and other objects and aspects of the present invention are explained in detail in the drawings herein and the specification set forth below.

Brief Description of the Drawings

Figure 1 shows blood insulin levels over time for patients administered a food 25 composition of the invention as compared to a control.

Figure 2 shows blood glucose levels over time for patients administered a food composition of the invention, as compared to a control.

Detailed Description of Preferred Embodiments

30 The term "complex carbohydrates" as used herein refers to macromolecular carbohydrates including starches, polydextrose and other polysaccharides.

The term "sweetening agent" refers to simple sugars (e.g., sucrose, lactose, galactose and fructose), sugar alcohols used as sweeteners (e.g., sorbitol or maltitol)

and artificial sweeteners (e.g., aspartame, sodium saccharin and acesulfame potassium).

The term "nutrients" as used herein refers to carbohydrates, proteins and fats.

5 **1. Food compositions.**

In general, a food composition used to carry out the present invention typically comprises:

- a) a complex carbohydrate which is slowly absorbed from the human gastrointestinal tract (hereinafter "slowly absorbed carbohydrate"), i.e., is slowly digested and is not completely metabolized even after 3-4 hours;
- 10 b) optionally, but preferably, a complex carbohydrate which is more rapidly absorbed from the digestive tract (hereinafter "rapidly absorbed carbohydrate");
- c) optionally, but preferably, protein;
- d) optionally, but preferably, fat; and
- 15 e) optionally, but preferably, at least one sweetening agent.

Food compositions that may be used to carry out the present invention are described in greater detail below. In general, food compositions that may be used to carry out the present invention include those described in U.S. Patent No. 5,843,921 to Kaufman, subject to the proviso that it is not critical that the amount of simple sugars other than fructose in the composition be less than about 3 grams per unit as stated therein. Food compositions that may be used to carry out the present invention further include those described in U.S. Patent No. 5,866,555 to Bell et al. and U.S. Patent No. 5,902,797 to Bell et al., taking note that the complex carbohydrate is therein indicated as preferably a slowly absorbed complex carbohydrate, uncooked cornstarch, as described in U.S. Patent No. 5,843,921 to Kaufman (applicant specifically intends that the disclosures of all U.S. Patent references cited herein be incorporated herein by reference in their entirety).

The ingredients in the food composition may include any conventional food ingredients of adequate purity and wholesomeness which preferably supply the desired amounts of total calories and percentage of calories from carbohydrates, protein and fat, respectively, and wherein the relative weight ranges of slowly absorbed carbohydrates, rapidly absorbed carbohydrates, protein, fat and fructose are as indicated previously. In the preferred embodiment of a snack-type bar, the

- 4 -

ingredients may include, by way of illustration, uncooked cornstarch as the slowly absorbed carbohydrate; polydextrose, peanuts, peanut derivatives (e.g., peanut butter), other nuts or nut derivatives as sources of rapidly absorbed carbohydrates, fat and protein; and other protein sources such as soy protein, whey protein, and casein

5 hydrolysate. Artificial sweeteners (e.g., aspartame or saccharin) may be included in the food composition in small amounts, but fructose and/or sorbitol and maltitol (3-15 grams) are the principal sweeteners. Coloring agents, water, salt, preservatives and other standard ingredients or additives normally used in the preparation of a snack or candy-type bar may be utilized, as well as up to 3 grams of simple sugars other than

10 fructose (e.g., sucrose, lactose or galactose), provided that the total nutrient and calorie profile of the finished bar or other form of the novel food composition comes within the parameters defined above.

Uncooked cornstarch is the preferred source of slowly absorbed carbohydrate for purposes of the invention since its carbohydrate content and its rate of metabolism

15 are known and are relatively uniform, and it may be readily formulated into a variety of palatable food compositions.

In one embodiment, the food composition preferably contains about 20 to about 50 grams of nutrients per serving or unit, e.g., per bar, including: about 15-35 grams of total carbohydrates (about 5-15 grams of slowly absorbed complex

20 carbohydrate, about 7-20 grams of rapidly absorbed complex carbohydrate and about 0-15 grams of simple sugar, sugar alcohol, or combination thereof; about 3-20 grams of protein; and about 2-7 grams of fat).

In one embodiment, the food composition preferably provides about 100-230 calories per serving or unit, of which: about 50-75% are from slowly absorbed and

25 rapidly absorbed complex carbohydrates; about 10-25% are from protein; and about 10-25% are from fat.

The food composition containing the foregoing components may be in any conventional "snack" form, e.g., bars, puddings, cookies, wafers, milkshakes, gels and the like, contained within a suitable package such as a bottle, can or wrapper. The

30 food composition may be an extruded, nonbaked food product. Snack-type bars resembling candy or granola bars, or rapidly consumable packaged gels, are most convenient for storage, handling and administration purposes and, when produced with scores, perforations or grooves thereon, can be easily divided for purposes of

administering a fraction of a bar where appropriate. Gels may be provided as an essentially homogeneous composition in a squeezable consumable package like a tooth-paste container to be squeezed directly from the package into the mouth for consumption.

5 The food composition may have a weight of 10 to 200 grams, depending upon the manner of packaging and intended manner of administration. As noted above, the composition may be designed with scores or the like to divide the composition for administration, or the composition may be administered in two or more units of the discrete products.

10

2. Methods of treatment.

Subjects that may be treated by the methods described herein are typically human subjects. The subjects may be normal subjects (that is, patients not afflicted with diabetes) or may be subjects afflicted with diabetes. The subjects may be of any 15 age, including juvenile, adolescent and adult, with the dosage or amount of the food composition administered adjusted appropriately.

The present invention may be used to suppress appetite in a subject in need thereof. Such subjects may include obese patients, patients with diabetes in whom weight loss is a specific part of the diabetes treatment plan, patients at risk of weight 20 gain due to a transient event such as recovery from an injury, surgery or the like, and individuals who desire to lose weight or maintain an existing weight.

The present invention may also be used to enhance exercise performance or recovery (e.g., reduce fatigue after exercise) in a subject in need thereof (e.g., an exercising subject). The method is useful in conjunction with a variety of exercises, 25 including swimming, walking, running, cycling, weight lifting, stationary aerobic exercises, etc. The exercise may be an aerobic exercise or an anaerobic exercise. The exercise may be an endurance exercise (that is, extending more than one-half hour or one hour in length). Any subject may utilize the nutritional supplements described herein, including trained or conditioned athletes (*i.e.*, individuals who have conditioned themselves to the point of having a low resting blood pressure and pulse; 30 typically with a diastolic pressure less than 80 or 70 mmHg, and a heart rate less than 60 beats per minute).

- 6 -

The composition is typically administered in an amount ranging from 10 to 200 grams per serving, depending upon the age, weight and condition of the subject. 1, 2, 3, or even 4 or more servings may be administered per day, again depending upon the conditions of the subject and the purpose of the treatment. For example,

5 where used to suppress appetite, the composition may be administered as a meal replacement or as a before-meal or between-meal snack. Where the composition is administered to enhance exercise performance or recovery, the composition may be consumed on multiple occasions throughout the course of the exercise event.

The present invention is explained in greater detail in the following non-
10 limiting Examples.

EXAMPLE 1

Appetite Suppression

Ten normal subjects ingested on two occasions 75 grams of carbohydrate in
15 the form of 2 ½ snack bars (one with uncooked cornstarch and the other with the same calories and carbohydrates but without uncooked cornstarch; ingredients included 5 grams protein and 3 grams fat/bar = active bar versus placebo bar with the same ingredients for a total of 22 grams of carbohydrate but without uncooked cornstarch). Detailed analysis as shown in Figure 1 showed that there was a significant decrease
20 in the insulin peak at 30 minutes and 120 minutes with cornstarch bar ingestion (in addition to complex carbohydrate, fat and protein) compared to a non-cornstarch bar meal of comparable carbohydrate, fat and protein, but without cornstarch. There was no difference in the area under the curve for insulin levels between these two meals showing that there were equivalent amounts of carbohydrate absorbed. As shown in
25 Figure 2, there was also a higher blood glucose peak with the non-cornstarch meal versus the cornstarch meal at 30 minutes. The reverse was true at 300 minutes, when the blood glucose level was statistically higher at 300 minutes with the cornstarch bar compared to the non-cornstarch bar.

These data indicate that the cornstarch bar has a low glycemic index (and
30 therefore is an appetite suppressant) by showing that in normal subjects the ingestion of the food bar with cornstarch is associated with a slower rise, a decreased peak value, and a more gradual decrease in blood glucose and insulin levels when compared to bars without cornstarch.

- 7 -

EXAMPLE 2

Exercise Performance

Fifteen subjects with diabetes, on two separate occasions, ingested 30 grams of carbohydrate in the form of 1 snack bar (one with uncooked cornstarch the other 5 with the same calories and carbohydrates but without cornstarch ingredients included 5 grams protein and 3 grams fat/bar = active bar versus placebo bar with the same ingredients for a total of 30 grams of carbohydrate but without uncooked cornstarch).

Subjects perform a standardized exercise regimen consisting of 30 minutes of vigorous exercise 2 and ½ hours after ingesting the bar.

10 Analysis showed that there was a significant decrease in the frequency of hypoglycemia at the end of exercise after ingestion of the cornstarch containing bar compared to the non-cornstarch bar.

15 These data indicate that the cornstarch bar has a low glycemic index (and therefore is slowly released into the blood stream) and is associated with enhanced carbohydrate utilization during and after exercise.

The foregoing is illustrative of the present invention, and is not to be construed as limiting thereof. The invention is defined by the following claims, with equivalents of the claims to be included therein.

- 8 -

I claim:

1. A method of suppressing appetite in a subject in need thereof, comprising administering to said subject, in an effective appetite suppressing amount, a food composition comprising:

- 5 (a) about 10 to 75 percent by weight of slowly absorbed complex carbohydrate;
- (b) about 10 to 40 percent by weight of rapidly absorbed complex carbohydrate;
- (c) about 2 to 40 percent by weight of protein;
- 10 (d) about 2 to 40 percent by weight of fat; and
- (e) at least one sweetening agent in an amount effective to sweeten said food composition.

2. A method according to claim 1, wherein said slowly absorbed complex carbohydrate is uncooked cornstarch.

3. A method according to claim 1, wherein said sweetening agent includes about 10 to 60 percent by weight of a simple carbohydrate selected from the group consisting of sucrose, glucose, dextrose, and combinations thereof.

20 4. A method according to claim 1, wherein said sweetening agent includes about 2 to 60 percent by weight of a sugar alcohol selected from the group consisting of sorbitol malitol, and combinations thereof.

25 5. A method according to claim 1, wherein said sweetening agent includes about 2 to 60 percent by weight of fructose.

6. A method according to claim 1, wherein the amount of simple sugars other than fructose in said composition is less than about 40 percent by weight.

30 7. A method according to claim 1, wherein said sweetening agent is selected from the group consisting of asparatame, sodium saccharin and acesulfame potassium.

Attorney Docket No. 9022.16.WO

- 9 -

8. A method according to claim 1, wherein said food composition is in the form of a snack bar, pudding, cookie, wafer, milkshake or gel.

9. A method according to claim 1, wherein said food composition has a weight of 10
5 to 200 grams.

10. A method of enhancing exercise performance or recovery in a subject in need thereof, comprising administering to said subject, in an amount effective to enhance exercise performance or recovery, a food composition comprising:

- 10 (a) about 10 to 75 percent by weight of slowly absorbed complex carbohydrate;
(b) about 10 to 40 percent by weight of rapidly absorbed complex carbohydrate;
(c) about 2 to 40 percent by weight of protein;
(d) about 2 to 40 percent by weight of fat; and
(e) at least one sweetening agent in an amount effective to sweeten said food
15 composition.

11. A method according to claim 10, wherein said food composition is administered prior to, during, or after exercise by said subject.

20 12. A method according to claim 10, wherein said exercise is aerobic exercise.

13. A method according to claim 10, wherein said exercise is an endurance exercise.

25 14. The method of either of Claim 1 or Claim 10, wherein the subject is a healthy subject.

15. The method of either of Claim 1 or Claim 10, wherein the subject is not a diabetic subject.

30 16. The method of Claim 1, wherein the subject is an obese subject.

SUBSTITUTE PAGE

Emplangsz AMENDED SHEET

1/1




FIG. 1.




FIG. 2.